

CLAIMS

1. A combination ring and object holder comprising:  
a ring adapted to be worn by an individual;  
a spring secured at a lower distal end thereof to said ring; and  
a coupling member adapted to receive and retain an object and secured to an  
upper distal end of said spring.

5

2. The combination ring and object holder as recited in claim 1, wherein said  
coupling member defines an opening to receive and retain an article of candy.

10

3. The combination ring and object holder as recited in claim 2, wherein the article  
of candy is a lollipop, the lollipop stick being received and retained in the opening defined by  
said coupling member.

15

4. The combination ring and object holder as recited in claim 1, wherein said  
coupling member has a jeweled upper surface.

20

5. The combination ring and object holder as recited in claim 1, wherein said  
coupling member has a smooth upper surface.

6. The combination ring and object holder as recited in claim 1, wherein the upper  
distal end of said spring is threaded through a channel defined by said coupling member such  
that approximately one coil of the upper distal end of said spring is enclosed within said channel.

7. The combination ring and object holder as recited in claim 1, wherein said ring has a substantively flat upper surface, the lower distal end of said spring being secured to the substantially flat upper surface of said ring.

5

8. The combination ring and object holder as recited in claim 7, wherein said ring also has a substantially circular lower portion oriented substantially perpendicular to said upper surface and adapted to be worn by an individual.

10

9. The combination ring and object holder as recited in claim 8, wherein the substantially circular portion of said ring is comprised of two independent prongs.

15

10. The combination ring and object holder as recited in claim 1, wherein said ring is composed of molded plastic.

15

11. The combination ring and object holder as recited in claim 1, and further comprising a spring base plate interposed between the lower distal end of said spring and a substantively flat upper surface of said ring.

20

12. The combination ring and object holder as recited in claim 11, wherein the lower distal end of said spring is threaded through an opening defined by said spring base plate such that approximately one coil of the lower distal end of said spring is secured between said spring base plate and the substantively flat upper surface of said ring.

13. The combination ring and object holder as recited in claim 1, wherein said spring  
is a plastic helical spring.

5           14. A combination ring and object holder comprising:  
               a ring having a substantively flat upper surface and a circular lower portion  
               oriented substantially perpendicular to said upper surface and adapted to be worn by an  
               individual;  
               a spring secured at a lower distal end thereof to the substantially flat upper surface  
10          of said ring; and  
               a coupling member adapted to receive and retain an object and secured to an  
               upper distal end of said spring.  
  
15          15. The combination ring and object holder as recited in claim 14, wherein said  
               coupling member defines an opening to receive and retain an article of candy.

16. The combination ring and object holder as recited in claim 15, wherein the article  
of candy is a lollipop, the lollipop stick being received and retained in the opening defined by  
said coupling member.

20

17. A combination ring and object holder comprising:  
               a ring adapted to be worn by an individual;  
               a spring base plate secured to a substantively flat upper surface of said ring;

a spring secured at a lower distal end thereof to said spring base plate; and  
a coupling member adapted to receive and retain an object and secured to an  
upper distal end of said spring.

5        18. The combination ring and object holder as recited in claim 17, wherein the lower  
distal end of said spring is threaded through an opening defined by said spring base plate such  
that approximately one coil of said spring is secured between said spring base plate and the  
substantively flat upper surface of said ring.

10      19. The combination ring and object holder as recited in claim 17, wherein the  
coupling member defines an opening to receive and retain an article of candy.

15      20. The combination ring and object holder as recited in claim 17, wherein said article  
of candy is a lollipop, the lollipop stick being received and retained in the opening defined by  
said coupling member.